

SAFETY DATA SHEET

Sustainion® XB7 Ionomer solution

Version 2.4

SDS DATE: 10/25/2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Sustainion® XB-7 Alkaline Ionomer 5% in alcohol

MANUFACTURER: Dioxide Materials
ADDRESS: 3998 FAU Blvd Suite 300
City, State, Zip: Boca Raton FL, 33431

EMERGENCY PHONE: 217-239-1400
TECHNICAL PHONE: 217-239-1400

SECTION 2: HAZARDS IDENTIFICATION



Pictogram

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

GHS Label elements, including precautionary statements:

Pictogram

Signal word: Danger

Hazard statement(s)

H226: Flammable liquid and vapour.
H225: Highly flammable liquid and vapour.
H319: Causes serious eye irritation.

Precautionary statement(s)

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P264: Wash skin thoroughly after handling.
P280: Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing Rinse skin with water/shower
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313: If eye irritation persists: Get medical advice/ attention.
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235: Store in a well-ventilated place.
P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>PERCENT</u>	<u>SARA 313</u>
N,N,N',N'-tetramethyl-1,6-hexanediamine , (5-bromopentyl) trimethylammonium bromide, compd. with 1-(chloromethyl)-4-ethenylbenzene polymer with ethenylbenzene	N/A	5%	N
Methanol	67-56-1	95%	Y

SYNONYMS: triple-cation ionomers

CHEMICAL FORMULA: (CH₂)_wN_xBr_yCl_z

SECTION 4: FIRST AID MEASURES

SAFETY DATA SHEET

Sustainion® XB7 Ionomer solution

Version 2.4

SDS DATE: 10/25/2018

GENERAL ADVICE

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

IN CASE OF EYES CONTACT:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IN CASE OF SKIN CONTACT:

Wash off with soap and plenty of water. Consult a physician.

IF SWALLOWED:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

IF INHALED:

If inhaled, remove person into fresh air. If not breathing, give artificial respiration. Consult a physician.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available

SECTION 5: FIRE-FIGHTING MEASURES

AUTOIGNITION TEMPERATURE: data not available

NFPA HAZARD CLASSIFICATION:

(estimated) HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0

HMIS HAZARD CLASSIFICATION:

(estimated) HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

FIRE FIGHTING:

SPECIFIC HAZARD(S) ARISING FROM THE SUBSTANCE OR MIXTURE

Nature of decomposition products not known.

ADVICE FOR FIREFIGHTERS

Wear self-contained breathing apparatus for firefighting if necessary.

FURTHER INFORMATION

Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

ENVIRONMENTAL PRECAUTIONS

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

hygroscopic

Storage class (TRGS 510): Flammable liquids

SAFETY DATA SHEET

Sustainion® XB7 Ionomer solution

Version 2.4

SDS DATE: 10/25/2018

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Hand in accordance with good industrial hygiene and safety practice. Washing hands before breaks and at the end of the workday.

RESPIRATORY PROTECTION:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SKIN PROTECTION:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 38 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

EYE PROTECTION:

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

BODY PROTECTION

Impervious clothing, Flame retardant antistatic protective clothing,. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	liquid
COLOR:	light yellow
FORM:	liquid
ODOR:	Alcohol like
ODOR THRESHOLD	no data available
pH:	no data available
BOILING POINT:	64.7 °C (Methanol) at 760 mmHg
MELTING/FREEZING POINT:	-98.0 °C (Methanol) at 760 mmHg
VAPOR PRESSURE (mmHg):	96.0 mmHg at 20.0 °C (Methanol)
VAPOR DENSITY (AIR = 1):	1.11 (Methanol)
RELATIVE DENSITY:	0.791 g/mL at 25.0 °C (Methanol)
SPECIFIC GRAVITY (H₂O = 1):	0.790 (Methanol)
EVAPORATION RATE:	1.70 (Methanol)
SOLUBILITY IN WATER:	Methanol: soluble, polymer: insoluble
DECOMPOSITION TEMP:	no data available
PARTITION COEFFICIENT:	no data available
FLASH POINT:	12.0 °C - closed cup (Methanol)
EXPLOSION PROPERTIES:	no data available
OXIDIZING PROPERTIES:	no data available
FLAMMABILITY LIMIT:	no data available
AUTOIGNITION TEMP:	455 °C (Methanol)
VISCOSITY:	no data available

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Vapors may form explosive mixture with air.

CHEMICAL STABILITY: Stable under ambient conditions.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

SAFETY DATA SHEET

Sustainion® XB7 Ionomer solution

Version 2.4

SDS DATE: 10/25/2018

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide, formaldehyde.

HAZARDOUS POLYMERIZATION: will not occur

POSSIBILITY OF HAZARDOUS REACTIONS: **Methanol** Vapors may form explosive mixture with air.

CONDITIONS TO AVOID: Incompatible materials, heat, flames and sparks.

INCOMPATIBLE MATERIALS: Alkali metals, oxidizing agents, peroxides, oxidizing agents, reducing agents, alkali metals, acids, powder metals, acid chlorides, powdered magnesium and aluminum.

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

ACUTE TOXICITY: Dermal – LD₅₀ 15800 mg/kg (rabbit)

Oral – LD₅₀ 5628 mg/kg (rat)

Inhalation – LD₅₀ 130.7 mg/kg (rat)

SKIN CORROSION/IRRITATION: Irritating to skin.

SERIOUS EYE IRRITATION/EYE DAMAGE: Irritating to eyes.

INHALATION: Irritating

REPRODUCTIVE TOXICITY: Developmental effects (immediate/delayed) have occurred in experimental animals.

TARGET ORGAN(S) or SYSTEM(S): Classified as causing damage to organs: eyes, skin, optic nerve, gastrointestinal tract, central nervous system, respiratory system, liver, spleen, kidney.

RTECS: not available

CARCINOGENICITY: Teratogenicity: has occurred in experimental animals.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Freshwater fish: 96hr LC₅₀ – Pimephales promelas: 28200 mg/L

PERSISTENCE AND DEGRADABILITY: Not persistent.

BIOACCUMULATIVE POTENTIAL: Not bioaccumulative.

MOBILITY IN SOIL: Solution has mobility in soil.

OTHER ADVERSE EFFECTS: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Contact a licensed professional waste disposal service to dispose of this material.

Observe all federal, state and local environmental regulations.

CONTAMINATED PACKAGING: dispose of as unused product.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION



PROPER SHIPPING NAME: None

NON-HAZARDOUS FOR TRANSPORT: This substance is considered to be hazardous for transport.

UN NUMBER: UN 1993

PACKING GROUP: II

HAZARD CLASS: 3

WATER TRANSPORTATION

PROPER SHIPPING NAME: None

NON-HAZARDOUS FOR WATER TRANSPORT: This substance is considered to be hazardous for water transport.

AIR TRANSPORTATION

PROPER SHIPPING NAME: None

NON-HAZARDOUS FOR AIR TRANSPORT: This substance is considered to be hazardous for air transport.

UN NUMBER: UN 1993

PACKING GROUP: II

HAZARD CLASS: 3

Quantities less than 100 lbs:

DOT SHIPPING DESCRIPTION: Regulated

DOT HAZARD CLASSIFICATION: Regulated

SAFETY DATA SHEET

Sustainion® XB7 Ionomer solution

Version 2.4

SDS DATE: 10/25/2018

DOT LABELS REQUIRED: Needed

DOT MARKING REQUIRED: None

SECTION 15: REGULATORY INFORMATION

SARA 302 COMPONENTS

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 COMPONENTS

no chemicals in this materials are subject to the reporting requirement of SARA Title III, Section 313.

SARA 311/312 HAZARDS

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

STATE REGULATIONS: no data available

INTERNATIONAL REGULATIONS: no data available

SECTION 16: OTHER INFORMATION

DISCLAIMER:

For R&D use only. The information on this data sheet represents data available at the time of writing and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified in the technical guidance literature. Any other use of the product, which involves using the product in combination with any other product or any other process, is the responsibility of the user.

MSDS CREATION DATE: May 21, 2018

REVISION DATE: October 25, 2019

REVISIONS MADE IN SECTIONS: 2.4